

# TECHNICAL DATASHEET NACRITE S1P

Ref. 9NACL10

Sizes 35 >> 48

**INDOOR** 

LOW SHOE



#### LOW SHOES





- Value for money
- Reflective stripe
- PU2D injected outsole
- Defined heel

PURCHASE PACKAGING			
REF.	EU	US	
9NACL10035	35	3	10
9NACL10036	36	4	10
9NACL10037	37	4.5	10
9NACL10038	38	5.5	10
9NACL10039	39	6	10
9NACL10040	40	7	10
9NACL10041	41	8	10
9NACL10042	42	8.5	10
9NACL10043	43	9.5	10
9NACL10044	44	10	10
9NACL10045	45	11	10
9NACL10046	46	11.5	10
9NACL10047	47	12.5	10
9NACL10048	48	13.5	10

# DESCRIPTION

NACRITE S1P is a low shoe that features an upper made of leather and polyurethane with a lining made of mesh. Its dual density PU/PU sole resists to hydrocarbons and to slip on ceramic and steel floors. It provides comfort to user. The reflective insert at the back improves safety of wearer when working in dark environment.

This model is equipped with a steel toe-cap and a steel plate for protection against puncture and fall of heavy objects.

NACRITE is the right model for any indoor use or in dry environment.

### **SECTORS**

Service

**Second work** 

Infrastructure, building industry

**Transport and logistics** 

# **APPLICATIONS EXAMPLES**

- Painter,
- Electrician,
- Storekeeper, ...

#### See also





**Sub-family** 

# **NACRITE S1P**

#### **TECHNICAL FEATURES**

Closure Lacing Anti perforation sole Stainless less

Toe cap Steel Reflective trim Reflective trim at the back

Work environment Indoor Examples of applications Painter, Electrician, Storekeeper, ...

Color Black

**Upper** Action leather and PU **Insole** Removable, textile and foam

LoopsMetal eyeletsMidsoleInjected polyurethaneWearing solePolyurethaneMain assemblyInjected assembly

**Lining** Moisture wicking non-woven

Low shoe

## INSTRUCTIONS FOR USE AND STORAGE

#### Instructions for use:

- These shoes can be perfectly preserved. Before any use, perform a visual inspection is perfect. It is advisable to choose the appropriate model for the specific requirements of your workplace.

#### Storage instructions:

- Place the shoes, when not in use, in a dry, clean and airy place. The time influences all materials and even if only first class raw materials have been used, storage for longer than 3 years is not recommended.

#### Cleaning instructions:

- Regularly clean the shoes by using brushes, cleaning clothes.

#### **LEGISLATION**

This shoe conforms to the personal protective equipment model covered by the EC type-examination certificate **0075/1747/161/05/19/1523 EXT 01/04/20**. Delivered by **CTC** (**0075**).

EN ISO 20345:2011



**S1P**: Closed heel, antistatic shoe, fuel and oil resistant contact outsole, energy absorbing heel, puncture resistant midsole, resistant to a 1 100 Newtons pressure

SRC: Slip resistant outsole on ceramic or steel floor with dilute soap solution or glycerol

Retailer stamp

UPDATE 04/20/2020