MERCATOR MEDICAL

Technical Data Sheet



comfort® powder-free

PRODUCT DESCRIPTION		PHYSICAL PROPERTIES						
Type of the glove	Non-sterile, powder free, examination and	Dimensions	Size	XS	S	М	L	XL
	protective glove for single use			(5-6)	(6-7)	(7-8)	(8-9)	(9-10)
Material	Natural rubber latex	Length [mm]		240	240	240	240	240
Donning powder	-	Minimum		240	240	240	240	240
Colour	Light yellow	Width [mm]		≤80	80	95	110	≥110
Shape	Ambidextrous, gloves fitting either hand				±10	±10	±10	
Cuff	Beaded	Thickness						
External surface	Textured	(single wall)	Middle finger			0,10		
Internal surface	Chlorinated	[mm]	Palm Cuff			0,08 0,075		
Packaging	10 x 100 pcs	Minimum	Culi			0,075		
PRODUCT REFERENCES		Elongation at	Before ageing			700		
SIZE / REFERENCE	XS RD10005001	break [%]	After ageing			500		
NUMBER	S RD10005002	Minimum						
	M RD10005003	Force at	Before ageing			6,0		
	L RD10005004	break[N]	After ageing			6,0		
	XL RD10005005	Minimum						

MANUFACTURING AND SAFETY STANDARDS

AQL Manufacturing final release: G-I inspection level AQL 1.0 in accordance with ISO 2859-1

<50 μ g/g glove (Modified Lowry's – EN 455-3) **Protein content**

CE classification Class I - Medical Device (Council Directive 93/42/EEC) Category III - Personal Protective Equipment (Regulation (EU)

2016/425)

Compliances EN 455-1, EN 455-2, EN 455-3, EN 455-4 EN 374-1 (Type B), EN 374-2, EN 374-4, EN ISO 374-5

EN ISO 15223-1 EN 16523-1 EN 1041 EN 420 EN ISO 13485

Viral test Test in accordance with ASTM F1671 and ISO 16604

Cytostatics

N/A permeation

Chemical substances

Test in accordance with EN 16523-1 permeation

Declaration of conformity for food contact in accordance with Regulation (EC) No 1935/2004 and with Commission Regulation (EU) **Food contact**

No 10/2011 and Overall Migration Test in accordance with Commission Regulation (EU) No 10/2011

Shelf life 3 years

STORAGE

Storage instruction Keep out of direct sunlight. Store in a cool, dry place in temperature 5-35° C. Keep away from sources of ozone and ignition.

> Issue date: 30.05.2017 Prepared by: Wojciech Hercka – Product Documentation Manager Update: 03.10.2019 Approved by: Katarzyna Nowakowska – Senior Product Manager